

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	18	frame with tfi with tti	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/06 19:36
L2	0	frame with tfi with tti with chanel	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/06 19:36
L3	5	frame with tfi with tti with channel	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/06 19:36
L4	2	frame with tfi with tti with channel with length	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/06 19:36
L5	6	frame same tfi same tti same channel same length	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/06 19:36
L6	1	(frame same tfi same tti same channel same length).clm.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/06 19:54
L7	1	(frame AND tfi and tti and channel and length).clm.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/06 19:36
L8	142	(frame AND tfi and tti and channel and length)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/06 19:36

EAST Search History

L9	6	(frame same tfi same tti same channel same length)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/06 19:36
L10	10	(frame with length with channel and tfi same tti)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/06 19:36
L11	14837	TFI	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/06 19:36
L12	0	("2003/0193913").URPN.	USPAT	OR	ON	2006/06/06 19:36
L13	93	UMTS with receiver	USPAT	OR	ON	2006/06/06 19:36
L14	264	phase with detector with coarse with fine	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/06 19:36
L15	32	(charge adj pump) with coarse with fine	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/06 19:36
L16	1	"10/051222"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/06 19:36
L17	2967	375/130	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/06 19:43
L18	571	375/136	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/06 19:36

EAST Search History

L19	2889	375/260	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/06 19:36
L20	3579	375/316	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/06 19:36
L21	1731	Transport adj Format	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/06 19:36
L22	182781	frame with length	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/06 19:36
L23	34	L21 and L17	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/06 19:36
L24	55	(Transport adj Format) with correcti\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/06 19:36
L25	1	L24 and L17	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/06 19:36
L26	1	L24 and L18	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/06 19:36

EAST Search History

L27	1	L24 and L19	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/06 19:36
L28	1	L24 and L20	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/06 19:36
L29	101	(Transport adj Format) same correcti\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/06 19:36
L30	1	L29 and L17	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/06 19:36
L31	1	L29 and L18	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/06 19:36
L32	1	L29 and L19	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/06 19:36
L33	1	"10/037836"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/06 19:36
L34	1	UMTS with receiver and TFI	USPAT	OR	ON	2006/06/06 19:36
L35	6	TFI and cdma and discriminat\$4 and decision	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/06 19:36

EAST Search History

L36	11	TFI and cdma and discriminat\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/06 19:36
L37	51	TFI with error	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/06 19:36
L38	2	TFI with discrimination	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/06 19:36
L39	13	TFI same discrimination	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/06 19:36
L40	28	TFI same decision	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/06 19:36
L41	194	(phase adj detector) with coarse with fine	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/06 19:36
L42	3	L41 and L15	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/06 19:36
L43	32	(charge adj pump) with coarse with fine	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/06 19:36

EAST Search History

L44	4	TFI and umts and discriminat\$4 and decision	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/06 19:36
L45	13	TFI with umts	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/06 19:36
L46	55	TFI same umts	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/06 19:36
L47	3	TFI same demultiplexing	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/06 19:36
L48	24	TFI and demultiplexing	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/06 19:36
L49	55	(Transport adj Format) with correcti\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/06 19:36
L50	9	L24 and L22	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/06 19:36
L51	3	L29 and L20	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/06 19:36

EAST Search History

L52	6	L21 and L18	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/06 19:44
L53	14	L21 and L19	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/06 19:36
L54	20	L21 and L20	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/06 19:36
L55	144	TFI and cdma	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/06 19:36
L56	194	(phase adj detector) with coarse with fine	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/06 19:36
L58	548	455/59	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/06 19:43
L59	0	L21 and L58	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/06 19:44
L60	0	L29 and L58	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/06 19:44

EAST Search History

L61	0	L24 and L58	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/06 19:44
L62	2	("6510137").pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/06 19:52
L63	3	(frame and tfi and tti and channel and tfci).clm.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/06 19:55


[Web](#) [Images](#) [Groups](#) [News](#) [Froogle](#) [Maps](#) [more »](#)

frame tti channel length tfci

Search

[Advanced Search](#)
[Preferences](#)

Web

Results 1 - 10 of about 376 for **frame tti channel length tfci**. (0.47 seconds)[\[doc\] TSG-R Template document](#)File Format: Microsoft Word - [View as HTML](#)

At each **frame**, the Node B shall build the **TFCI** value of each CCTrCH, according to the **TFI** of ... **Field length**: the **length** of the TB is specified by the **TFI**. ...

www.3gpp.org/ftp/tsg_ran/WG3_lu/Change_Requests/TSG-RAN6/CRs_25427/CR_004_R3-99h89.doc

[\[doc\] TSG-R Template document](#)File Format: Microsoft Word - [View as HTML](#)

At each **frame**, the Node B shall build the **TFCI** value of each [FDD ... The value range and **field length** depend on the transport **channel** for which the CFN is ...

www.3gpp.org/ftp/tsg_ran/WG3_lu/Change_Requests/TSG-RAN6/CRs_25435/CR_007_R3-99h90.doc

[Power control for a channel with multiple formats in a ...](#)

Each transport **channel frame** corresponds to the portion of the **TTI** that is to be transmitted ... In accordance with W-CDMA, the **TFCI** is sent every 10 msec, ...

freepatentsonline.com/6983166.html

[\[PPT\] Training](#)File Format: Microsoft Powerpoint - [View as HTML](#)

TFI and **TFCI**. Each transport **channel** is accompanied by a **TFI** at each time event at ... **Radio Frame** Segmentation. when **TTI** > 10 msec, input bit sequence is ...

pal.ece.iisc.ernet.in/PAM/iisc-drdo-ac-talk3.ppt

[\[PDF\] Microsoft PowerPoint - WCDMA_2005_L2.ppt](#)File Format: PDF/Adobe Acrobat - [View as HTML](#)

For every 10 ms **frame**. – Decode **TFCI** and obtain the bit rate and **channel**. decoding parameters for DPDCH. • For Transmission Time Interval (**TTI**), ...

www.uwasa.fi/~riku/opetus/suunnittelu/WCDMA_2005_L2.pdf

[\[PDF\] 3GPP TS 25.435](#)File Format: PDF/Adobe Acrobat - [View as HTML](#)

If the Node B does not receive a valid FP **frame** in a **TTI**, it assumes that ... combining the **TFI**'s of the different transport channels, a valid **TFCI** might ...

www.arib.or.jp/IMT-2000/V310Sep02/S3g/R99/25/25435-3a0.pdf

[\[PDF\] Microsoft PowerPoint - WCDMA_arch_002.ppt](#)File Format: PDF/Adobe Acrobat - [View as HTML](#)

Semi static part (**TTI**, CRC, etc...) (**TFI**). Transport Format Set (TFS) ... **TFI**. TrCH 1. **TFCI**. Coding & Multiplexing. Physical. Control **Channel**. Physical ...

www.mit.jyu.fi/riesta/WCDMA_arch_001.pdf

[\[doc\] ISDN und lokale Vermittlungen](#)File Format: Microsoft Word - [View as HTML](#)

CAS **Channel** Associated Signalling (Variante des zentralen ... **TFI** Temporary **Frame** Identity (GPRS). **TFCI** Transport Format Combination Identifier (UMTS) ...

www.infosys.tuwien.ac.at/teaching/courses/VOMobileComputing/05/FHT02-SBAnh3.doc

[\[PDF\] TS 125 435 - V7.0.1 - Universal Mobile Telecommunications System ...](#)

File Format: PDF/Adobe Acrobat

In the case there is no data (ie no TB in the FP **frame** or no FP **frame**) in any transport

channel for a given **TTI** and a. **TFCI** is defined for no transmission ...
webapp.etsi.org/action/ PU/20060523/ts_125435v070001p.pdf

[PDF] **TS 125 427 - V6.5.0 - Universal Mobile Telecommunications System ...**

File Format: PDF/Adobe Acrobat

send an UL DATA **FRAME** to the RNC when it has received a **TFI** indicating "number of TB equal to 0" for the. transport **channel** during a **TTI**. ...

webapp.etsi.org/action/ PU/20060117/ts_125427v060500p.pdf

Try your search again on [Google Book Search](#)

Goooooogle ►

Result Page: 1 2 3 4 **Next**

frame tti channel length tfci

Search

[Search within results](#) | [Language Tools](#) | [Search Tips](#) | [Dissatisfied? Help us improve](#)

[Google Home](#) - [Advertising Programs](#) - [Business Solutions](#) - [About Google](#)

©2006 Google

drjatorres@gmail.com | [Search History](#) | [My Account](#) | [Sign out](#)[Web](#) [Images](#) [Groups](#) [News](#) [Froogle](#) [Maps](#) [more »](#)

frame tti channel length tfci discrimination

[Advanced Search](#)
[Preferences](#)**Web**Results 1 - 3 of 3 for **frame tti channel length tfci discrimination**. (0.51 seconds)**[PDF] QoS MANAGEMENT IN UMTS TERRESTRIAL RADIO ACCESS FDD NETWORKS**

File Format: PDF/Adobe Acrobat

TFI. TFCI. Coding & Multiplexing. Physical. Control **CHannel**. Physical ... **length** of one Radio **Frame**). MAC delivers one TBS to the physical layer every **TTI**. ...
lib.tkk.fi/Diss/2005/isbn9512278340/isbn9512278340.pdf

[PDF] TEAMFLY

File Format: PDF/Adobe Acrobat

However, the shared **channel** may carry its own **TFCI**. In the TDD ... Moreover, to make HARQ more efficient, a shorter **frame length (TTI)** is needed. ...
www.elib.hbi.ir/.../pdf/1580535070-Artch-Introduction%20to%203G%20Mobile%20Communications%20ed.pdf

[PDF] TSG-RAN Meeting #15 TSGRP#15(02) 0189 Cheju, Korea, 5 - 8 March 2002

File Format: PDF/Adobe Acrobat

DRNC to interpret the user plane **frame** protocol information other than for the combining/splitting ... **TFCI**. Transport Format Combination Indicator. **TFI** ...
www.3gpp.org/ftp/tsg_ran/TSG_RAN/TSGR_15/Docs/PDFs/RP-020189.pdf

Try your search again on [Google Book Search](#)

frame tti channel length tfci discrim

[Search within results](#) | [Language Tools](#) | [Search Tips](#) | [Dissatisfied? Help us improve](#)[Google Home](#) - [Advertising Programs](#) - [Business Solutions](#) - [About Google](#)

©2006 Google

SCIRUS	<input type="text"/>	<input type="button" value="Search"/>	<input type="checkbox"/> Pop-up Blocker OFF	<input type="checkbox"/> Highlight
<input type="text"/>				

About Us

Newsroom

Advisory Board

Submit Web Site

Help

Contact Us

Basic Search

[Advanced Search](#) [Search Preferences](#)

frame AND tfi AND tti AND channel AND length AND tfi

☒ Journal sources ☒ Preferred Web sources ☒ Other Web sources ☐ Exact phrase

Sorry, your query - frame AND tfi AND tti AND channel AND length AND tfci AND discrimination has not produced any result

Did you mean: frame tfi tti "channel length" tfpi discrimination

Before searching again, using the same or similar keywords, you may helpful to:

- check the selected sources, information types and subject areas, the selection may not contain results matching your query
 - check the spelling of all words
 - spell words in a different way, for example using American spelling
 - write abbreviations and acronyms in full
 - use alternative words that have the same meaning
 - search using fewer or more general words
-

[Downloads](#) | [Subscribe to News Updates](#) | [User Feedback](#) | [Advertising](#)
[Tell A Friend](#) | [Terms Of Service](#) | [Privacy Policy](#) | [Legal](#)

Powered by [FAST](#) © Elsevier 2006

About Us

Newsroom

Advisory Board

Submit Web Site

Help

Contact Us

Basic Search

[Advanced Search](#) [Search Preferences](#)

frame AND tfi AND tti AND channel AND length AND tfi

Search

☒ Journal sources ☒ Preferred Web sources ☒ Other Web sources ☐ Exact phrase

Sorry, your query - frame AND tfi AND tti AND channel AND length AND tfci has not produced any result

Did you mean: frame tfi tti "channel length" tfpi

Before searching again, using the same or similar keywords, you may helpful to:

- check the selected sources, information types and subject areas, the selection may not contain results matching your query
 - check the spelling of all words
 - spell words in a different way, for example using American spelling
 - write abbreviations and acronyms in full
 - use alternative words that have the same meaning
 - search using fewer or more general words
-

[Downloads](#) | [Subscribe to News Updates](#) | [User Feedback](#) | [Advertising](#)
[Tell A Friend](#) | [Terms Of Service](#) | [Privacy Policy](#) | [Legal](#)

Powered by [FAST](#) © Elsevier 2006

SCIRUS	<input type="checkbox"/>	<input checked="" type="checkbox"/>	Search	<input checked="" type="checkbox"/> Pop-up Blocker OFF	<input checked="" type="checkbox"/> Highlight
<input type="text"/>					

About Us

Newsroom

Advisory Board

Submit Web Site

Help

Contact Us

Basic Search

[Advanced Search](#) [Search Preferences](#)

frame AND tfi AND tti AND channel AND length

Search

☒ Journal sources ☒ Preferred Web sources ☒ Other Web sources ☐ Exact phrase

Sorry, your search has not produced any results. Before searching again, using the same or similar keywords, you may find it helpful to:

- check the selected sources, information types and subject areas, the selection may not contain results matching your query
 - check the spelling of all words
 - spell words in a different way, for example using American spelling
 - write abbreviations and acronyms in full
 - use alternative words that have the same meaning
 - search using fewer or more general words
-

[Downloads](#) | [Subscribe to News Updates](#) | [User Feedback](#) | [Advertising](#)
• [Tell A Friend](#) | [Terms Of Service](#) | [Privacy Policy](#) | [Legal](#)

Powered by [FAST](#) © Elsevier 2006

About Us

Newsroom

Advisory Board

Submit Web Site

Help

Contact Us

Basic Search

[Advanced Search](#) [Search Preferences](#)

frame AND tfi AND tti AND channel

Search

☒ Journal sources
 ☒ Preferred Web sources
 ☒ Other Web sources
 ☐ Exact phrase
Searched for:: :All of the words: **frame AND tfi AND tti AND channel**Found:: : **174 total** | **4 journal results** | **10 preferred web results** | **160 other web results**Sort by:: : **relevance** | **date**

Save checked results

Email checked results

Export checked results

- ☐ 1. 25.535 [Word-61K]
 Jun 2001
 ...DSCH Downlink Shared **Channel** FP **Frame** Protocol FT **Frame** Type PC Power Control...Physical Downlink Shared **Channel** PUSCH Physical Uplink...Transport Block Set **TFI** Transport Format Indicator ToA Time of arrival **TTI** Transmission Time Interval...
[more hits from](#) [http://www.3gpp.org/ftp/tsg_ran/WG3_Iu/Draft_Specs/TSG...]
[similar results](#)
- ☐ 2. TEMPORARY FRAME IDENTIFICATION FOR ARQ IN A RESERVATION-SLOTTED-ALOHA TYPE OF PROTOCOL
TURINA, Dalibor / TELEFONAKTIEBOLAGET LM ERICSSON (publ), PATENT COOPERATION TREATY APPLICATION, Oct 1996
 ...**TFI** as a part of the **channel** reservation procedure and sends the **TFI** to the MS in a **channel** reservation command...mobile's TMSI and the **TFI** assigned to the particular **frame** in the primary block...include the same **TTI**, which unambiguously...
Full text available at patent office. For more in-depth searching go to LexisNexis®
[view all 9 results from Patent Offices](#)
[similar results](#)
- ☐ 3. Method for configuring a telecommunication system
Belaiche, Vincent Antoine Victor / Mitsubishi Electric Telecom Europe (S.A.), EUROPEAN PATENT, Feb 2001
 ...each associated **TTI** interval originating...layer 101. Transport **channels** with the same quality...system 102A, 102B. A **frame** checking sequence...each multiplexing **frame** in a **TTI** interval in the **channel** concerned. A multiplexing **frame** is the smallest...
Full text available at patent office. For more in-depth searching go to LexisNexis®
[view all 9 results from Patent Offices](#)
[similar results](#)
- ☐ 4. A method for reporting transmit power usage in a variable bit rate mobile radiocommunication system
Blanc, Patrick / ALCATEL, EUROPEAN PATENT, Feb 2001
 ...multiplexed onto the same physical **channel** (code or CCTrCH : "Code Composite Transport **Channel**"), several Transport Block...Transmission Time Interval **TTI**, each with its **TFI** field. The physical layer performs some **channel** coding and rate matching...
Full text available at patent office. For more in-depth searching go to LexisNexis®
[view all 9 results from Patent Offices](#)
[similar results](#)

Did you me
frame tti "isRefine you
using the
found in t
bit rate[bit string](#)[common co](#)[data trans](#)[dedicated c](#)[determinati](#)[gain factor](#)[granularity](#)[help inform](#)[intermediat](#)[radio netwo](#)[sequence n](#)[technical sp](#)[traffic volur](#)[transmitter](#)[user data](#)

Or refine

All of the

Refine

Frames By I

Save up to 7

Prices on Wo

Picture Fram

Custom Pict

28 Years ship

Custom Pictu

☐ 5. LIVEEXCEPTION SYSTEM

SYLOR, Mark, W. / IGLESIAS, George / WOLF, Jay, B. / LAUER, Will, C. / STABILE, Lawrence, A. / CONCORD COMMUNICATIONS, INC., PATENT COOPERATION TREATY APPLICATION, Dec 2001


...normalized -form. A number of normalized forms are pre-defined for each element type, for example, Ethernet, Token Ring, WAN, **Frame** Relay, Asynchronous Transfer Module (ATM), remote access devices, routers, 7 servers, etc. The normalized form has two data...

Full text available at patent office. For more in-depth searching go to  LexisNexis[®]
[view all 9 results from Patent Offices](#)
[similar results](#)

☐ 6. OVERLOAD HANDLING IN A COMMUNICATIONS SYSTEM

SCHULTZ, Gö / ran / PEISA, Janne / WIGELL, Toomas / MATINMIKKO, Reijo / TELEFONAKTIEBOLAGET LM ERICSSON (publ), PATENT COOPERATION TREATY APPLICATION, Aug 2001

...MAC-d"). One type of common **channel** is the FACH. A basic characteristic...or 80 ms). Several transport **channels** (e.g., FACHs) are in turn mapped...Secondary Common Control Physical **Channel** (S-CCPCH) for transmission...using the services of the FACH **Frame** Protocol (FACH FP) entity between...

Full text available at patent office. For more in-depth searching go to  LexisNexis[®]
[view all 9 results from Patent Offices](#)
[similar results](#)

☐ 7. Nachrichtentechnik und Hochfrequenztechnik [PDF-175K]

Sep 2000


...block error ratios (BLER) on the transport **channel** for transport services with data rates...39 4.2.6 **Channel** Model...16 2.3 **Channel** coding and transmission format...
[more hits from](http://www.nt.tuwien.ac.at/mobile/theses_finished/Mast...) [http://www.nt.tuwien.ac.at/mobile/theses_finished/Mast...]

[similar results](#)

☐ 8. TRANSMISSION OF FIXED SIZE PROTOCOL DATA UNITS THROUGH THE TRANSPARENT RADIO LINK CONTROL

RINNE, Mikko, J. / NOKIA CORPORATION, PATENT COOPERATION TREATY APPLICATION, Oct 2001

...the Iu interface: no Iu **frame** is sent. The Iu UP protocol...Transmission Time 2 Interval (**TTI**) is defined as the inter-arrival...the length of one Radio **Frame**). The MAC delivers one...the physical layer every **TTI**. Furthermore, plural TBSs...by parallel transport **channels** existing between a UE...

Full text available at patent office. For more in-depth searching go to  LexisNexis[®]
[view all 9 results from Patent Offices](#)
[similar results](#)

☐ 9. UTRAN Radio Interface Protocols [PDF-36K]

Nov 2000


...Transport Format TF, TFS, **TFI**, TFCI · Transport...blocks on a transport **channel** · Dynamic attributes...transmission time interval (**TTI**) · error protection...associated to a Transport **Channel** · all TFs in a TFS...Format Indicator (**TFI**) indicates to currently...multiplexed into one L1 **frame** Ch.6.2. Chapter 6...
[http://www.comlab.hut.fi/opetus/238/lecture3Valen0010...]

[similar results](#)

☐ 10. DATA TRANSMISSION IN A MOBILE TELECOMMUNICATIONS NETWORK

PEISA, Janne, Johannes / TELEFONAKTIEBOLAGET LM ERICSSON (PUBL), PATENT COOPERATION TREATY APPLICATION, May 2001

...two PDUs in one **TTI** on the particular transport **channel** in question. In...80 bits. In each **TTI**, the MAC entity...each transport **channel** connected to it...transport formats **TFI**=(80, 0), **TF2**=(80...both transport **channels**. Clearly however...

Full text available at patent office. For more in-depth searching go to  LexisNexis[®]
[view all 9 results from Patent Offices](#)
[similar results](#)

☐ 11. PACKET SCHEDULING IN UMTS USING SEVERAL CALCULATED TRANSFER RATES

SCHULTZ, Gö / ran / PEISA, Janne / WIGELL, Toomas / MATINMIKKO, Reijo / TELEFONAKTIEBOLAGET LM ERICSSON (publ), PATENT COOPERATION TREATY APPLICATION, Aug 2001


...and somewhat separated from the physical **channel** maximum mandated by the air interface...incoming data flow onto a single output **channel**. In fact, it would be beneficial if a...QoS) class that is associated with each **channel** of multiple **channels** ascertaining a guaranteed...

Full text available at patent office. For more in-depth searching go to  LexisNexis[®]
[view all 9 results from Patent Offices](#)
[similar results](#)

☐ **12. FLOW CONTROL BETWEEN TRANSMITTER AND RECEIVER ENTITIES IN A COMMUNICATIONS SYSTEM**

SCHULTZ, Gö / ran / PEISA, Janne / WIGELL, Toomas / MATINMIKKO, Reijo / TELEFONAKTIEBOLAGET LM ERICSSON (publ), PATENT COOPERATION TREATY APPLICATION, Aug 2001

...segments and map the RABs onto respective logical **channels**. A Medium Access Control (MAC) entity receives data transmitted in the logical **channels**, and further maps the data from the logical **channels** onto a set of transport **channels**. The transport...

Full text available at patent office. For more in-depth searching go to  LexisNexis[®]
[view all 9 results from Patent Offices](#)
[similar results](#)

☐ **13. Interdisciplinary Research in [PDF-228K]**

Jul 2000

Stanford Geothermal Program Interdisciplinary Research in Engineering and Earth Science STANFORD UNIVERSITY Velocity and Gravity Effects In Relative Permeability Measurements BY B u w y A . B e d J r . Craig S .

[<http://ekofisk.stanford.edu/geoth/techreports/SGP-TR-0...>]

[similar results](#)

☐ **14. Cloning of a cGMP-gated cation channel from mouse kidney inner medullary collecting duct**

Karlson, K.H. / Ciampolillo-Bates, F. / McCoy, D.E. / Kizer, N.L. / Stanton, B.A., Biochimica et Biophysica Acta (BBA)/Biomembranes, May 1995

...coding for the cGMP-gated cation **channel** expressed in the moUSE kidney...The kidney cGMP-gated cation **channel** CDNA has an open reading **frame** of 2055 nucleotides and encodes...S' RACE. Se!~ orrh: Cation **channel** Inner medullary collecting...

Published journal article available from  SCIENCE @ DIRECT

[view all 4 results from ScienceDirect](#)
[similar results](#)

☐ **15. No Title [PDF-172K]**

Apr 2001

...particular the effect of noise in the **channel**, and the savings possible due to the statistical...in television with an associated audio **channel**. 2. A transmitter which operates on the...signal suitable for transmission over the **channel**. In telephony this operation consists...

[more hits from](#) [<http://www.csee.wvu.edu/~adgeroh/classes/ee591/handout...>]

[similar results](#)

☐ **16. FY1999 Annual Report: Procurement and Logistics Management Center [PDF-453K]**

Nov 2000

SANDIA REPORT SAND2000-0211 Unlimited Release Printed February 2000 Annual Report Procurement at Management Center JT wandia National Laboratories Fiscal Year 1999 3. L.

[<http://www.sandia.gov/supplier/docs/sand2000-0211.pdf>]

[similar results](#)

☐ **17. Two new dinosaur bonebeds from the late Jurassic Morrison formation, Bighorn Basin, WY an analysis of the paleontology and ...**

Wilborn, Brooke K., Jan 2001

Thesis (M.S.)--Virginia Polytechnic Institute and State University, 2001. Title from electronic submission form. Vita. Abstract. Includes bibliographical references.

Full text thesis available via NDLTD

[similar results](#)

- ☐ **18.** [U.S.-Mexico Trade: Pulling Together or Pulling Apart? \[PDF-723K\]](#)

Apr 2001

...the key to success in managing the social and economic transformations of the coming decades lies with the institutions that **frame** public and private choices---decisions made by employers, by workers, by government officials. In the United States, that framework...

[http://govinfo.library.unt.edu/ota/Ota_1/DATA/1992/924...]

[similar results](#)

- ☐ **19.** [Single pion production in \$n^+p\$ interactions at 895, 945, 995 and 1040 MeV/c](#)

Baker, S.L. / Dornan, P.J. / Gopal, G.P. / Stark, J. / Webster, G.J. / Buckley, T.S. / Bull, V.A. / (...) / White, A., *Nuclear Physics B*, May 1972

...1265 MeV/c [7] in this **channel**. The accumulations at...important in the $7r+ 7r\hat{A}^\circ p$ **channel**. S.L. Baker et al., rr...1040 Me V/c 9 1 r rr p - **Tfi Tti** n P~, - 1 00 GeV/c 2 Entries...c MeV/c. The $7r+ 7r+ n$ **channel** appears, at first sight...

Published journal article available from  **SCIENCE @ DIRECT**

[view all 4 results from ScienceDirect](#)

[similar results](#)

- ☐ **20.** [The interpretation of some low equation results](#)

Miller, G.A. / Henley, E.M., *Annals of Physics*, Oct 1980

...for pionnuclear scattering is given by [5] **Tfi**(E) - I rN,A'k'(EN) FN,Ak(EN) + I -PA', Nk...There are two classes of contributions to Im **Tfi**(E). The contributions from the first term...takes the particularly simple form (s) Vfi **Tfi** (E) = -f-, (3.6) 140 MILLER AND HENLEY in...

Published journal article available from  **SCIENCE @ DIRECT**

[view all 4 results from ScienceDirect](#)

[similar results](#)

fast ::::

Results Pages: [[<< Prev](#)] [1](#) [2](#) [3](#) [4](#) [5](#) [6](#) [7](#) [8](#) [9](#) [[Next >>](#)]

[back to top](#)

[Downloads](#) | [Subscribe to News Updates](#) | [User Feedback](#) | [Advertising](#)
[Tell A Friend](#) | [Terms Of Service](#) | [Privacy Policy](#) | [Legal](#)

Powered by **FAST** © Elsevier 2006

About Us

Newsroom

Advisory Board

Submit Web Site

Help

Contact Us

Basic Search

[Advanced Search](#) [Search Preferences](#)

☒ Journal sources
 ☒ Preferred Web sources
 ☒ Other Web sources
 ☐ Exact phrase
Searched for:: :All of the words: **frame AND tfi AND tti AND channel AND tfci**Found:: :**130 total** | **0 journal results** | **5 preferred web results** | **125 other web results**Sort by:: :**relevance** | **date**

- ☐ 1. [R3-99A88.PDF](#) [PDF-39K]
 Sep 1999
 ...to indicate the **TFI** used on the DSCH...account those **TFI** bits during the DSCH **TTI** period. Table...when the control **frame** is used for signalling **TFI** bits used on the...into account for **TFCI** building in Node...used to convey "**channel**". NAME DL Node...
[more hits from](#) [http://www.3gpp.org/ftp/tsg_ran/WG3_Iu/TSGR3_07/Docs/P...] [similar results](#)
- ☐ 2. [Nachrichtentechnik und Hochfrequenztechnik](#) [PDF-175K]
 Sep 2000
 ...block error ratios (BLER) on the transport **channel** for transport services with data rates...39 4.2.6 **Channel** Model...16 2.3 **Channel** coding and transmission format...
[more hits from](#) [http://www.nt.tuwien.ac.at/mobile/theses_finished/Mast...] [similar results](#)
- ☐ 3. [Method for configuring a telecommunication system](#)
Belaiche, Vincent Antoine Victor / Mitsubishi Electric Telecom Europe (S.A.), EUROPEAN PATENT, Feb 2001
 ...each associated **TTI** interval originating...layer 101. Transport **channels** with the same quality...system 102A, 102B. A **frame** checking sequence...each multiplexing **frame** in a **TTI** interval in the **channel** concerned. A multiplexing **frame** is the smallest...
Full text available at patent office. For more in-depth searching go to LexisNexis-
[view all 5 results from Patent Offices](#) [similar results](#)
- ☐ 4. [PACKET SCHEDULING IN UMTS USING SEVERAL CALCULATED TRANSFER RATES](#)
SCHULTZ, Gö / ran / PEISA, Janne / WIGELL, Toomas / MATINMIKKO, Reijo / TELEFONAKTIEBOLAGET LM ERICSSON (publ), PATENT COOPERATION TREATY APPLICATION, Aug 2001
 ...MAC-d"). One type of common **channel** is the FACH. A basic characteristic...or 80 ms). Several transport **channels** (e.g., FACHs) are in turn mapped...Secondary Common Control Physical **Channel** (S-CCPCH) for transmission...using the services of the FACH **Frame** Protocol (FACH FP) entity between...
Full text available at patent office. For more in-depth searching go to LexisNexis-
[view all 5 results from Patent Offices](#) [similar results](#)
- ☐ 5. [UTRAN Radio Interface Protocols](#) [PDF-36K]
 Nov 2000

Did you me
frame tti "is
 Refine you
 using the
 found in t
 barred
 bearer
 bit padding
 cell selectio
 code divisio
 conversatio
 data rate
 data transn
 default valu
 determinati
 frequency c
 help inform
 intermediat
 radio netw
 technical sp
 transport la

 Or refine
 All of the




 Buy Picture
 Save up to 71
 Prices on Wo
 Picture Fram

 Custom Pict
 28 Years ship
 Custom Pictu

...TF, TFS, **TFI**, **TFCI** · Transport format...on a transport **channel** · Dynamic attributes...time interval (**TTI**) · error protection...to a Transport **Channel** · all TFs in...Format Indicator (**TFI**) indicates to...Combination Indicator (**TFCI**) is the L1 header...multiplexed into one L1 **frame** Ch.6.2. Chapter...
[http://www.comlab.hut.fi/opetus/238/lecture3Vialen0010...]
[similar results](#)

Same Day St

Tv Frame
Tv **frame** On
Target.com

- ☐ **6. OVERLOAD HANDLING IN A COMMUNICATIONS SYSTEM**
SCHULTZ, Gö / ran / PEISA, Janne / WIGELL, Toomas / MATINMIKKO, Reijo / TELEFONAKTIEBOLAGET LM ERICSSON (publ), PATENT COOPERATION TREATY APPLICATION, Aug 2001
...MAC-d"). One type of common **channel** is the FACH. A basic characteristic...or 80 ms). Several transport **channels** (e.g., FACHs) are in turn mapped...Secondary Common Control Physical **Channel** (S-CCPCH) for transmission...using the services of the FACH **Frame** Protocol (FACH FP) entity between...
Full text available at patent office. For more in-depth searching go to  LexisNexis™
[view all 5 results from Patent Offices](#)
[similar results](#)
- ☐ **7. DATA TRANSMISSION IN A MOBILE TELECOMMUNICATIONS NETWORK**
PEISA, Janne, Johannes / TELEFONAKTIEBOLAGET LM ERICSSON (PUBL), PATENT COOPERATION TREATY APPLICATION, May 2001
...two PDUs in one **TTI** on the particular transport **channel** in question. In...80 bits. In each **TTI**, the MAC entity...each transport **channel** connected to it...transport formats **TFI**=(80, 0), **TF2**=(80...both transport **channels**. Clearly however...
Full text available at patent office. For more in-depth searching go to  LexisNexis™
[view all 5 results from Patent Offices](#)
[similar results](#)
- ☐ **8. FLOW CONTROL BETWEEN TRANSMITTER AND RECEIVER ENTITIES IN A COMMUNICATIONS SYSTEM**
SCHULTZ, Gö / ran / PEISA, Janne / WIGELL, Toomas / MATINMIKKO, Reijo / TELEFONAKTIEBOLAGET LM ERICSSON (publ), PATENT COOPERATION TREATY APPLICATION, Aug 2001
...segments and map the RABs onto respective logical **channels**. A Medium Access Control (MAC) entity receives data transmitted in the logical **channels**, and further maps the data from the logical **channels** onto a set of transport **channels**. The transport...
Full text available at patent office. For more in-depth searching go to  LexisNexis™
[view all 5 results from Patent Offices](#)
[similar results](#)
- ☐ **9. RP_000384.doc [PDF-67K]**
Sep 2000
...least one data **frame** on this transport...receive a valid FP **frame** in a **TTI**, it assumes...transmitted in that **TTI** for this transport **channel**. If the node B is aware of a **TFI** value corresponding...**channels**, a valid **TFCI** might result...applied. At each **frame**, the Node B...
[http://www.3gpp.org/ftp/tsg_ran/TSG_RAN/TSGR_09/Docs/P...]
[similar results](#)
- ☐ **10. 25.427 [Word-58K]**
Jun 2001
...CFN Connection **Frame** Number CRC Cyclic...Dedicated Transport **Channel** DL Downlink DSCH Downlink Shared **Channel** DTX Discontinuous Transmission FP **Frame** Protocol FT **Frame**...Transport Block Set **TFI** Transport Format Indicator **TFCI** Transport Format...Time of arrival **TTI** Transmission Time...
[http://www.3gpp.org/ftp/tsg_ran/WG3_Iu/Draft_Specs/TSG...]
[similar results](#)
- ☐ **11. R3-99C37.PDF [PDF-37K]**
Sep 1999
...to indicate the **TFI** used on the DSCH...account those **TFI** bits during the DSCH **TTI** period. Table...when the control **frame** is used for signalling **TFI** bits used on the...into

account for **TFCI** building in Node...used to convey "**channel**". NAME DL Node...

[http://www.3gpp.org/ftp/tsg_ran/WG3_Iu/TSGR3_07/Docs/P...]

similar results

☐ **12.** [RP-010860.doc](#) [PDF-273K]

Dec 2001

...received a **TFI** indicating...transport **channel** during a **TTI**. - In silent...receives a **TFI** indicating...an UL DATA **FRAME** to the RNC...an invalid **TFCI**, no UL Data...transport **channel** during a **TTI**. - In silent...receives a **TFI** indicating...an UL DATA **FRAME** to the RNC...an invalid **TFCI**, no UL Data...

[http://www.3gpp.org/ftp/tsg_ran/tsg_ran/TSGR_14/Docs/P...]

similar results

☐ **13.** [RP-010860.doc](#) [PDF-273K]

Dec 2001

...received a **TFI** indicating...transport **channel** during a **TTI**. - In silent...receives a **TFI** indicating...an UL DATA **FRAME** to the RNC...an invalid **TFCI**, no UL Data...transport **channel** during a **TTI**. - In silent...receives a **TFI** indicating...an UL DATA **FRAME** to the RNC...an invalid **TFCI**, no UL Data...

[http://www.3gpp.org/ftp/tsg_ran/TSG_RAN/TSGR_14/Docs/P...]

similar results

☐ **14.** [25.535](#) [Word-61K]

Jun 2001

...the PCH Data **Frame** may also transport...related to the PICH **channel**. If the Node...receive a valid FP **frame** in a **TTI**, it assumes that...this transport **channel**. For the FACH...is aware of a **TFI** value corresponding...channels, a valid **TFCI** might result...

[http://www.3gpp.org/ftp/tsg_ran/WG3_Iu/Draft_Specs/TSR...]

similar results

☐ **15.** [RP-010865.doc](#) [PDF-153K]

Dec 2001

...to the S-CCPCH **frame** timing [5]]. In...Common Transport **Channel** data frames, which...the PCH DATA **FRAME** includes a CFN...Pad CFN (cont) **TFI** Not Used PI-bitmap...Common Transport **Channel** data frames, which...the PCH DATA **FRAME** includes a CFN...Pad CFN (cont) **TFI** Not Used PI-bitmap...

[http://www.3gpp.org/ftp/tsg_ran/tsg_ran/TSGR_14/Docs/P...]

similar results

☐ **16.** [RP-010865.doc](#) [PDF-153K]

Dec 2001

...to the S-CCPCH **frame** timing [5]]. In...Common Transport **Channel** data frames, which...the PCH DATA **FRAME** includes a CFN...Pad CFN (cont) **TFI** Not Used PI-bitmap...Common Transport **Channel** data frames, which...the PCH DATA **FRAME** includes a CFN...Pad CFN (cont) **TFI** Not Used PI-bitmap...

[http://www.3gpp.org/ftp/tsg_ran/TSG_RAN/TSGR_14/Docs/P...]

similar results

☐ **17.** [RP-000104.doc](#) [PDF-89K]

Mar 2000

...only one transport **channel** is transported on...send an UL data **frame** to the RNC when...for a transport **channel** during a certain **TTI**. In silent mode...send an UL data **frame** to the RNC for this...receives an invalid **TFCI** no data **frame** shall...

[http://www.3gpp.org/ftp/tsg_ran/TSG_RAN/TSGR_07/Docs/P...]

similar results

☐ **18.** [RP-010589.doc](#) [PDF-156K]

Sep 2001

...indicates that the control **frame** is not applicable to...used for Associated data **frame** Timing adjust- ment DL transport **channels** synchronisati on Node...assignment Timing advance DSCH **TFCI** signalling RACH RACH data **frame** no no no no no no FACH...

[http://www.3gpp.org/ftp/tsg_ran/TSG_RAN/TSGR_13/Docs/P...]

similar results

☐ **19.** [RP-010586.doc](#) [PDF-112K]

Sep 2001

...CFN Connection **Frame** Number CRC Cyclic...Dedicated Transport **Channel** DL
Downlink DSCH Downlink Shared **Channel** DTX Discontinuous Transmission FP **Frame**
Protocol FT **Frame**...Transport Block Set **TFI** Transport Format Indicator **TFCI** Transport
Format...Window Startpoint **TTI** Transmission Time...

[http://www.3gpp.org/ftp/tsg_ran/tsg_ran/TSGR_13/Docs/P...]

[similar results](#)

☐ **20.** [RP-000110.doc](#) [PDF-93K]

Mar 2000

...case the PCH Data **Frame** may also transport...related to the PICH **channel**. If the
Node B...receive a valid FP **frame** in a **TTI**, it assumes that...this transport **channel**. If
the node B is aware of a **TFI** value corresponding...**channels**, a valid **TFCI** might result
and...

[http://www.3gpp.org/ftp/tsg_ran/TSG_RAN/TSGR_07/Docs/P...]

[similar results](#)

fast :::

Results Pages: [[<< Prev](#)] [1](#) [2](#) [3](#) [4](#) [5](#) [6](#) [7](#) [[Next >>](#)]

[back to top](#)

[Downloads](#) | [Subscribe to News Updates](#) | [User Feedback](#) | [Advertising](#)
[Tell A Friend](#) | [Terms Of Service](#) | [Privacy Policy](#) | [Legal](#)

Powered by [FAST](#) © Elsevier 2006

[About Us](#)

[Newsroom](#)

[Advisory Board](#)

[Submit Web Site](#)

[Help](#)

[Contact Us](#)

Basic Search

[Advanced Search](#) [Search Preferences](#)

frame AND tfi AND tti AND channel AND tfci AND demu

☒ Journal sources ☒ Preferred Web sources ☒ Other Web sources ☐ Exact phrase

Searched for:: :All of the words: **frame AND tfi AND tti AND channel AND tfci AND demultiplexer**

Found:: : **1 total** | **0 journal results** | **0 preferred web results** | **1 other web results**

Sort by:: : **relevance** | date

Did you mean?

frame tfi "isi channel" tfpi demultiplexers

Or refine using:

All of the words

Frames By Mail Save 70%
Save up to 70% Off Retail
Prices on Wood or Metal
Picture Frames

www.Frames.com
Find better frames of all
types. Free frames directory
& more

Sponsored links

- ☐ **1. Nachrichtentechnik und Hochfrequenztechnik [PDF-175K]**
Sep 2000
...block error ratios (BLER) on the transport **channel** for transport services
with data rates...39 4.2.6 **Channel** Model...16 2.3 **Channel** coding and
transmission format...
[http://www.nt.tuwien.ac.at/mobile/theses_finished/Mast...]
[similar results](#)

fast


[Downloads](#) | [Subscribe to News Updates](#) | [User Feedback](#) | [Advertising](#)
[Tell A Friend](#) | [Terms Of Service](#) | [Privacy Policy](#) | [Legal](#)

Powered by **FAST** © Elsevier 2006

[About Us](#)[Newsroom](#)[Advisory Board](#)[Submit Web Site](#)[Help](#)[Contact Us](#)**Basic Search**[Advanced Search](#) [Search Preferences](#)

frame AND tfi AND tti AND channel AND tfci AND decoder

☒ Journal sources
 ☒ Preferred Web sources
 ☒ Other Web sources
 ☐ Exact phrase
Searched for:: :All of the words: **frame AND tfi AND tti AND channel AND tfci AND decoder**Found:: :**5 total** | **0 journal results** | **1 preferred web results** | **4 other web results**Sort by:: :**relevance** | **date**

- ☐ 1. [25302_CR_table.doc](#) [PDF-155K]
 Mar 2000
 ...and coding of the **TFCI** are signalled by...during the 10 ms **frame**. Due to the fixed...dedicated control **channel**. The model for the...a PCPCH physical **channel** which implies a one-to-one...correspondence between a CPCH **TFI** and the **TFCI** conveyed on PCPCH...
[more hits from](#) [http://www.3gpp.org/ftp/tsg_ran/tsg_ran/TSGR_07/Docs/P...] [similar results](#)
- ☐ 2. [Method for configuring a telecommunication system](#)
Belaiche, Vincent Antoine Victor / Mitsubishi Electric Telecom Europe (S.A.), EUROPEAN PATENT, Feb 2001
 ...each associated **TTI** interval originating...layer 101. Transport **channels** with the same quality...system 102A, 102B. A **frame** checking sequence...each multiplexing **frame** in a **TTI** interval in the **channel** concerned. A multiplexing **frame** is the smallest...
Full text available at patent office. For more in-depth searching go to  LexisNexis-
[similar results](#)
- ☐ 3. [25331_CR_table_1.doc](#) [PDF-2MB]
 Mar 2001
 ...agreed 25.331 650 2 R99 Reserved **TFCI** for the TDD Special Burst F...R99 Removal of RLC logical **channel** mapping indicator F 3.5.0 3...to establish the dedicated **channel** according to the CELL UPDATE...message. RLC-SAP: AM Logical **channel**: DCCH
 Direction: UE UTRAN Information...
 [http://www.3gpp.org/ftp/tsg_ran/TSG_RAN/TSGR_11/Docs/P...] [similar results](#)
- ☐ 4. [CRs to 25212\(1\)-RP000061-table.doc](#) [PDF-113K]
 Mar 2000
 ...each radio **frame** of its **TTI** is calculated...each Physical **Channel** NTGL[k], where k is the radio **frame** number in the **TTI**. For each radio...0 if radio **frame** k is not compressed...all transport **channels** i by the following...formula: () **TTI** i i TFS I...
 [http://www.3gpp.org/ftp/tsg_ran/TSG_RAN/TSGR_07/Docs/P...] [similar results](#)
- ☐ 5. [25331_CR_table_1.doc](#) [PDF-2MB]
 Jun 2001
 ...change from **frame** to **frame** in the uplink depending...>>Available Sub **Channel** Number MP Bitstring(12...indicate available sub **channel** number _x, x= 0 to 11...for

Did you me
[frame tfi "is
decoder](#)Refine you
using the
found in t
[compresser
radio link](#)Or refine
All of the[Save on Pic](#)
Save up to 71
Prices on Wo
Picture Fram

data part >>**TFCI** existence MD Boolean...factor can change from **frame** to **frame**
in the uplink...

[http://www.3gpp.org/ftp/tsg_ran/tsg_ran/TSGR_12/Docs/P...]

similar results

fast :::

[Downloads](#) | [Subscribe to News Updates](#) | [User Feedback](#) | [Advertising](#)
[Tell A Friend](#) | [Terms Of Service](#) | [Privacy Policy](#) | [Legal](#)

Powered by [FAST](#) © Elsevier 2006



Welcome United States Patent and Trademark Office

□ Search Results

BROWSE

SEARCH

IEEE XPLORE GUIDE

SUPPORT

Results for "((tfi<in>metadata) <and> (tti<in>metadata))<and> (tfci<in>metad..."

e-mail printer

Your search matched 0 documents.

A maximum of 100 results are displayed, 25 to a page, sorted by Relevance in Descending order.

» Search Options

[View Session History](#)[New Search](#)

Modify Search

 ☐ Check to search only within this results setDisplay Format: ☒ Citation ☐ Citation & Abstract

» Key

IEEE JNL IEEE Journal or Magazine

IEE JNL IEE Journal or Magazine

IEEE CNF IEEE Conference Proceeding

IEE CNF IEE Conference Proceeding

IEEE STD IEEE Standard

No results were found.

Please edit your search criteria and try again. Refer to the Help pages if you need assistance revisin search.

Indexed by
 Inspec®[Help](#) [Contact Us](#) [Privacy & Security](#)

© Copyright 2006 IEEE – All Rights



Welcome United States Patent and Trademark Office

Search Results[BROWSE](#)[SEARCH](#)[IEEE XPLORE GUIDE](#)[SUPPORT](#)

Results for "((tfi<in>metadata) <and> (tfci<in>metadata))"

[e-mail](#) [printer](#)Your search matched **0** documents.A maximum of **100** results are displayed, **25** to a page, sorted by **Relevance** in **Descending** order.» **Search Options**[View Session History](#)[New Search](#)**Modify Search**

((tfi<in>metadata) <and> (tfci<in>metadata))

Search >☐ Check to search only within this results setDisplay Format: ☒ Citation ☐ Citation & Abstract» **Key**

IEEE JNL IEEE Journal or Magazine

IEE JNL IEE Journal or Magazine

IEEE CNF IEEE Conference Proceeding

IEE CNF IEE Conference Proceeding

IEEE STD IEEE Standard

No results were found.

Please edit your search criteria and try again. Refer to the Help pages if you need assistance revisin search.

Indexed by
 Inspect®[Help](#) [Contact Us](#) [Privacy & Security](#)

© Copyright 2006 IEEE – All Rights



Welcome United States Patent and Trademark Office

☐ Search Results

BROWSE

SEARCH

IEEE XPLORE GUIDE

SUPPORT

Results for "(tfti<in>metadata)"

Your search matched 12 of 1351636 documents.

A maximum of 100 results are displayed, 25 to a page, sorted by Relevance in Descending order.

e-mail
 printer

» Search Options

[View Session History](#)
[New Search](#)

Modify Search

(tfti<in>metadata)

☐ Check to search only within this results set

 Display Format: ☒ Citation ☐ Citation & Abstract

» Key

IEEE JNL IEEE Journal or Magazine

IEE JNL IEE Journal or Magazine

IEEE CNF IEEE Conference Proceeding

IEE CNF IEE Conference Proceeding

IEEE STD IEEE Standard

[Select All](#)
[Deselect All](#)

- ☐ 1. **High-quality speech coding at 2.4 to 4.0 kbit/s based on time-frequency interpolati**
 Shoham, Y.;
Acoustics, Speech, and Signal Processing, 1993. ICASSP-93., 1993 IEEE International Conference on
 Volume 2, 27-30 April 1993 Page(s):167 - 170 vol.2
 Digital Object Identifier 10.1109/ICASSP.1993.319260
[AbstractPlus](#) | Full Text: [PDF\(340 KB\)](#) IEEE CNF
[Rights and Permissions](#)
- ☐ 2. **Transcutaneous Fluorescent Imaging with a Depth-Dependent Point Spread Funct**
 Shimizu, K.; Tochio, K.; Kato, Y.;
Engineering in Medicine and Biology Society, 2005. IEEE-EMBS 2005. 27th Annual International Conference of the
 01-04 Sept. 2005 Page(s):3141 - 3144
[AbstractPlus](#) | Full Text: [PDF\(416 KB\)](#) IEEE CNF
[Rights and Permissions](#)
- ☐ 3. **The Canadian GlobeSAR program**
 Campbell, F.H.A.; Brown, L.J.; Kirby, M.; Benmouffok, D.; Lapp, D.;
Geoscience and Remote Sensing Symposium, 1994. IGARSS '94. 'Surface and Atmosp Remote Sensing: Technologies, Data Analysis and Interpretation', International
 Volume 3, 8-12 Aug. 1994 Page(s):1523 - 1524 vol.3
 Digital Object Identifier 10.1109/IGARSS.1994.399487
[AbstractPlus](#) | Full Text: [PDF\(176 KB\)](#) IEEE CNF
[Rights and Permissions](#)
- ☐ 4. **Identification-based power unit model for load-frequency control purposes**
 Hain, Y.; Kulesky, R.; Nudelman, G.;
Power Systems, IEEE Transactions on
 Volume 15, Issue 4, Nov. 2000 Page(s):1313 - 1321
 Digital Object Identifier 10.1109/59.898107
[AbstractPlus](#) | [References](#) | Full Text: [PDF\(216 KB\)](#) IEEE JNL
[Rights and Permissions](#)
- ☐ 5. **Identification-based power unit model for load frequency control purposes**
 Hain, Y.; Kulesky, R.; Nudelman, G.;
Power Engineering Society Summer Meeting, 2000. IEEE
 Volume 1, 16-20 July 2000 Page(s):408 vol. 1
 Digital Object Identifier 10.1109/PESS.2000.867620
[AbstractPlus](#) | Full Text: [PDF\(32 KB\)](#) IEEE CNF
[Rights and Permissions](#)

6. **Diagnostically lossless compression of pipeline inspection data**
Wei-Ching Tham; Woolley, S.I.; Cribbs, S.; Anderson, D.;
[Data Compression Conference, 2002. Proceedings. DCC 2002](#)
2-4 April 2002 Page(s):473
Digital Object Identifier 10.1109/DCC.2002.1000016
[AbstractPlus](#) | Full Text: [PDF\(217 KB\)](#) IEEE CNF
[Rights and Permissions](#)
7. **Prosodic speech modifications using pitch-synchronous time-frequency interpola**
Morais, E.S.; Violaro, F.; Barbosa, P.A.;
[Telecommunications Symposium, 1998. ITS '98 Proceedings. SBT/IEEE International](#)
9-13 Aug. 1998 Page(s):225 - 230 vol.1
Digital Object Identifier 10.1109/ITS.1998.713121
[AbstractPlus](#) | Full Text: [PDF\(356 KB\)](#) IEEE CNF
[Rights and Permissions](#)
8. **Analog to digital conversion specifications for ultra wide band reception**
Romdhane, M.B.; Loumeau, P.;
[Signal Processing and Information Technology, 2004. Proceedings of the Fourth IEEE](#)
[International Symposium on](#)
18-21 Dec. 2004 Page(s):157 - 160
Digital Object Identifier 10.1109/ISSPIT.2004.1433711
[AbstractPlus](#) | Full Text: [PDF\(190 KB\)](#) IEEE CNF
[Rights and Permissions](#)
9. **Effects of current and frequency on write, read, and erase widths for thin-film indu and magnetoresistive heads**
Lin, T.; Christner, J.A.; Mitchell, T.B.; Gau, J.-S.; George, P.K.;
[Magnetics, IEEE Transactions on](#)
Volume 25, Issue 1, Jan 1989 Page(s):710 - 715
Digital Object Identifier 10.1109/20.22627
[AbstractPlus](#) | Full Text: [PDF\(608 KB\)](#) IEEE JNL
[Rights and Permissions](#)
10. **Light-controlled multichannel switches on the basis of nonlinear interferometers f optical communication lines and networks**
Goncharenko, A.M.; Sinitsyn, G.V.; Lyakhnovich, A.V.; Apanasevich, S.P.; Khodasevich Kazberuk, A.V.; Varaxa, Yu.A.; Burak, A.V.; Klinouski, V.A.;
[Laser and Fiber-Optical Networks Modeling, 2003. Proceedings of LFNM 2003. 5th Inter](#)
[Workshop on](#)
19-20 Sept. 2003 Page(s):278 - 280
Digital Object Identifier 10.1109/LFNM.2003.1246150
[AbstractPlus](#) | Full Text: [PDF\(275 KB\)](#) IEEE CNF
[Rights and Permissions](#)
11. **All-optical TDM multiplexers/demultiplexers with buffer stack memory**
Sinitsyn, G.V.; Lyakhnovich, A.V.; Apanasevich, S.P.;
[Laser and Fiber-Optical Networks Modeling, 2003. Proceedings of LFNM 2003. 5th Inter](#)
[Workshop on](#)
19-20 Sept. 2003 Page(s):272 - 274
Digital Object Identifier 10.1109/LFNM.2003.1246148
[AbstractPlus](#) | Full Text: [PDF\(282 KB\)](#) IEEE CNF
[Rights and Permissions](#)
12. **The important role of micro and nanotechnology in the creation of new products a difficulties faced by SME's in acquiring and exploiting these disruptive technologi**
Wilkinson, J.M.;
[Engineering Management Conference, 2002. IEMC '02. 2002 IEEE International](#)
Volume 1, 2002 Page(s):64 - 66 vol.1
Digital Object Identifier 10.1109/IEMC.2002.1038367
[AbstractPlus](#) | Full Text: [PDF\(288 KB\)](#) IEEE CNF

[Rights and Permissions](#)

Indexed by
 Inspec

[Help](#) [Contact Us](#) [Privacy & Security](#)
© Copyright 2006 IEEE – All Rights



Welcome United States Patent and Trademark Office

☐ Search Results

BROWSE

SEARCH

IEEE XPLORE GUIDE

SUPPORT

Results for "(tpci<in>metadata)"

Your search matched 15 of 1351636 documents.

A maximum of 100 results are displayed, 25 to a page, sorted by Relevance in Descending order.

e-mail
 printer

» Search Options

[View Session History](#)[New Search](#)

Modify Search

(tpci<in>metadata)

☐ Check to search only within this results set

 Display Format: ☒ Citation ☐ Citation & Abstract

» Key

IEEE JNL IEEE Journal or Magazine

IEE JNL IEE Journal or Magazine

IEEE CNF IEEE Conference Proceeding

IEE CNF IEE Conference Proceeding

IEEE STD IEEE Standard

[Select All](#) [Deselect All](#)

- ☐ 1. **Analysis of TFCI coding performance of WCDMA systems**
 Sung Lark Kwon; Bonghoe Kim; Sungkwon Hong; Heegul Park;
Communications Letters, IEEE
 Volume 9, Issue 11, Nov. 2005 Page(s):979 - 981
 Digital Object Identifier 10.1109/LCOMM.2005.11003
[AbstractPlus](#) | Full Text: [PDF\(210 KB\)](#) IEEE JNL
[Rights and Permissions](#)
- ☐ 2. **Performance analysis of TFCI coding in Rayleigh fading channel for WCDMA systems**
 Bonghoe Kim; Sung Lark Kwon; Byoung Jo Choi; Hee Gul Park;
TENCON 2004. 2004 IEEE Region 10 Conference
 Volume B, 21-24 Nov. 2004 Page(s):489 - 492 Vol. 2
 Digital Object Identifier 10.1109/TENCON.2004.1414639
[AbstractPlus](#) | Full Text: [PDF\(1875 KB\)](#) IEEE CNF
[Rights and Permissions](#)
- ☐ 3. **Improved power control methods of transport format combination indicator field for split in UMTS**
 Hwang, S.-H.; Kim, B.; Kwon, S.-L.;
Electronics Letters
 Volume 39, Issue 10, 15 May 2003 Page(s):802 - 804
 Digital Object Identifier 10.1049/el:20030512
[AbstractPlus](#) | Full Text: [PDF\(407 KB\)](#) IEE JNL
- ☐ 4. **The production of the superconducting conductor for the TFCI**
 Sytnikov, V.; Cheverev, N.; Egorov, S.; Filatov, O.; Gavrilov, S.; Malkov, A.; Rodin, I.; Ry A.; Shikov, A.; Shpeizman, V.; Suhanova, A.; Taran, A.;
Applied Superconductivity, IEEE Transactions on
 Volume 12, Issue 1, March 2002 Page(s):1207 - 1210
 Digital Object Identifier 10.1109/TASC.2002.1018618
[AbstractPlus](#) | [References](#) | Full Text: [PDF\(188 KB\)](#) IEEE JNL
[Rights and Permissions](#)
- ☐ 5. **Analysis of the channel bit-rate detection process in WCDMA**
 Shikh-Bahaei, M.; Chambers, J.; Pirooz, A.;
Communications, IEE Proceedings-
 Volume 152, Issue 5, 7 Oct. 2005 Page(s):686 - 690
 Digital Object Identifier 10.1049/ip-com:20045032
[AbstractPlus](#) | Full Text: [PDF\(184 KB\)](#) IEE JNL

6. **On the performance of channel data rate detection algorithms in WCDMA receiver**
 Shikh-Bahaei, M.; Pirooz, A.; Nasiri-Toussi, K.;
3G Mobile Communication Technologies, 2003. 3G 2003. 4th International Conference on
(Conf. Publ. No. 494)
 25-27 June 2003 Page(s):188 - 193
[AbstractPlus](#) | Full Text: [PDF\(366 KB\)](#) IEEE CNF
7. **Tests and analysis of quench propagation in the ITER toroidal field conductor insert**
 Savoldi Richard, L.; Portone, A.; Zanino, R.;
Applied Superconductivity, IEEE Transactions on
 Volume 13, Issue 2, Part 2, June 2003 Page(s):1412 - 1415
 Digital Object Identifier 10.1109/TASC.2003.812683
[AbstractPlus](#) | [References](#) | Full Text: [PDF\(432 KB\)](#) IEEE JNL
[Rights and Permissions](#)
8. **Analysis and interpretation of T/sub cs/ tests of the ITER toroidal field conductor insert**
 Marinucci, C.; Bottura, L.; Bruzzone, P.; Mitchell, N.; Stepanov, B.; Wesche, R.;
Applied Superconductivity, IEEE Transactions on
 Volume 14, Issue 2, June 2004 Page(s):1523 - 1526
 Digital Object Identifier 10.1109/TASC.2004.830685
[AbstractPlus](#) | [References](#) | Full Text: [PDF\(328 KB\)](#) IEEE JNL
[Rights and Permissions](#)
9. **The Results of the Toroidal Field Conductor Insert (TFCI) Non-Destructive and Destructive Examinations**
 Rodin I. ; Gurieva T. ; Egorov S. ; Bursikov A. ; Korsunsky V. ; Zapretilina E. ;
IEEE Transactions on Applied Superconductivity : Accepted for future publication
 Volume PP, Issue 99, 2006 Page(s):1 - 1
 Digital Object Identifier 10.1109/TASC.2006.873260
[AbstractPlus](#) | Full Text: [PDF\(1496 KB\)](#) IEEE JNL
10. **Electromagnetic analysis of the ITER Toroidal Field Coil Insert properties**
 Zani, L.; Egorov, S.;
Applied Superconductivity, IEEE Transactions on
 Volume 13, Issue 2, Part 2, June 2003 Page(s):1416 - 1419
 Digital Object Identifier 10.1109/TASC.2003.812684
[AbstractPlus](#) | [References](#) | Full Text: [PDF\(662 KB\)](#) IEEE JNL
[Rights and Permissions](#)
11. **Novel optimum reduced search MLSE decoding algorithm enabling system-aware savings**
 Wellig, A.; Zory, J.; Wehn, N.;
Radio and Wireless Conference, 2004 IEEE
 19-22 Sept. 2004 Page(s):27 - 30
[AbstractPlus](#) | Full Text: [PDF\(561 KB\)](#) IEEE CNF
[Rights and Permissions](#)
12. **ITER TF conductor insert coil manufacture**
 Cheverev, N.; Glukhikh, V.; Filatov, O.; Belykov, V.; Muratov, V.; Egorov, S.; Rodin, I.; M
 A.; Sukhanova, M.; Gavrilov, S.; Krylov, V.; Mudugin, B.; Bondarchouk, N.; Yakubovsky,
 Cherdakov, A.; Mikhailov, M.; Konstantinov, Yu.; Sokolov, Yu.; Yakovleva, G.; Peregudo
 Chaika, P.; Sytnikov, V.; Rychagov, A.; Taran, A.; Shikov, A.; Pantcyrny, V.; Vorobieva,
 Dergunova, E.; Abdukhonov, I.; Mareev, K.; Gysnov, N.;
Applied Superconductivity, IEEE Transactions on
 Volume 12, Issue 1, March 2002 Page(s):548 - 553
 Digital Object Identifier 10.1109/TASC.2002.1018463
[AbstractPlus](#) | [References](#) | Full Text: [PDF\(389 KB\)](#) IEEE JNL
[Rights and Permissions](#)
13. **Energy loss measurements in the CICC short samples and model coil**
 Rodin, I.; Egorov, S.; Lancetov, A.; Astrov, M.; Fedotova, S.;
Applied Superconductivity, IEEE Transactions on

Volume 13, Issue 2, Part 2, June 2003 Page(s):2396 - 2399

Digital Object Identifier 10.1109/TASC.2003.813097

[AbstractPlus](#) | [References](#) | Full Text: [PDF](#)(662 KB) IEEE JNL

[Rights and Permissions](#)

- ┌ **14. On signalling issues for the high speed downlink packet access in UMTS**
Peng, X.-H.;
[3G Mobile Communication Technologies, 2002. Third International Conference on \(Conf. No. 489\)](#)
8-10 May 2002 Page(s):137 - 140
[AbstractPlus](#) | Full Text: [PDF](#)(471 KB) IEE CNF
- ┌ **15. New UTRA-TDD system characteristics**
Kourtis, S.;
[3G Mobile Communication Technologies, 2001. Second International Conference on \(Conf. No. 477\)](#)
26-28 March 2001 Page(s):161 - 165
[AbstractPlus](#) | Full Text: [PDF](#)(356 KB) IEE CNF

Indexed by
 Inspec®

[Help](#) [Contact Us](#) [Privacy & Security](#)

© Copyright 2006 IEEE – All Rights Reserved

Day : Tuesday

Date: 6/6/2006

Time: 18:17:13

PALM INTRANET

Inventor Information for 10/037836

Inventor Name	City	State/Country
SHIMIZU, MASATSUGU	KAWASAKI	JAPAN

[Appln Info](#)[Contents](#)[Petition Info](#)[Atty/Agent Info](#)[Continuity Data](#)[Foreign Data](#)[Inventor](#)

Search Another: Application#

or Patent#

PCT /

/

or PG PUBS #

Attorney Docket #

Bar Code #

To go back use Back button on your browser toolbar.

Back to [PALM](#) | [ASSIGNMENT](#) | [OASIS](#) | [Home page](#)

**Inventor Name Search Result**

Your Search was:

Last Name = SHIMIZU

First Name = MASATSUGU

Application#	Patent#	Status	Date Filed	Title	Inventor Name
10037836	Not Issued	51	01/03/2002	Transceiver apparatus and transceiving method in communication system	SHIMIZU, MASATSUGU
10281566	Not Issued	30	10/28/2002	Method of selecting transport format combination, and mobile terminal apparatus	SHIMIZU, MASATSUGU

Inventor Search Completed: No Records to Display.

Search Another: Inventor

Last Name	First Name
SHIMIZU	MASATSUGU

To go back use Back button on your browser toolbar.

Back to [PALM](#) | [ASSIGNMENT](#) | [OASIS](#) | [Home page](#)

PALM Intranet

| □

Application
Number

SEARCH

IDS Flag Clearance for Application 10037836



Content	Mailroom Date	Entry Number	IDS Review	Reviewer
M844	01-03-2002	5	<input checked="" type="checkbox"/>	10-26-2005 09:39:26 jtorres1
M844	01-07-2003	8	<input checked="" type="checkbox"/>	10-26-2005 09:39:26 jtorres1
M844	04-01-2003	9	<input checked="" type="checkbox"/>	10-26-2005 09:39:27 jtorres1

UPDATE